

SPECTRUM

ELECTRICAL CONTRACTORS LIMITED

UNIT A5 ATRIA COURT
52 STIRLING WAY PAPWORTH BUSINESS PARK
PAPWORTH EVERARD
CAMBRIDGE
CB23 3GY
Tel: 01480 831500
Email: np.s@outlook.com

TEMPORARY

SITE ELECTRICS

HIRE EQUIPMENT SCHEDULE

PLEASE INSERT THE QUANTITY REQUIRED IN THE QUANTITY BOX

And

RETURN

(see over)

| Voltage | K V A | Amps | Description | Quantity |
|----------------|--------------|-------------|--|-----------------|
| | | | TRANSFORMERS | |
| 230/110 | 10 | 32 | Single phase Site transformer 2x 32A 4x 16A outlets | |
| 400/110 | 10 | 20 | Three phase Site transformer 2x 32A 4x 16A outlets | |
| 230/110 | 3 | 13 | Plug in portable site transformer 2x 16A outlets | |
| | | | LEADS | |
| 110 | 3 | 16 | Splitter box 32A input on plug in lead 4 16A outlets | |
| 110 | 3 | 16 | Inline lead splitter 16A input 3x 16A outlets | |
| 110 | 3 | 16 | 10M Extension lead 16A plug and socket | |
| 110 | 3 | 16 | 20M Extension lead 16A plug and socket | |
| 110 | 3 | 16 | 25M Extension lead 16A plug and socket | |
| 110 | 3 | 16 | 30M Extension lead 16A plug and socket | |
| 110 | 3 | 16 | 50M Extension lead 16A plug and socket | |
| 230 | 3 | 16 | 10M Extension lead 16A plug and socket | |
| 230 | 3 | 16 | 20M Extension lead 16A plug and socket | |
| 230 | 3 | 16 | 25M Extension lead 16A plug and socket | |
| 230 | 3 | 16 | 30M Extension lead 16A plug and socket | |
| 230 | 3 | 16 | 50M Extension lead 16A plug and socket | |
| | | | MDU CABINETS | |
| 230/400 | | | MDU mains distribution cabinet single door Metal | |
| 230/400 | | | MDU mains distribution cabinet double door Metal | |
| 230/400 | | | MDU mains distribution cabinet single door GRP | |
| 230/400 | | 63 | MDU mains distribution cabinet portable | |

| | | | | |
|---------|--|--------|--|--|
| | | | DISTRIBUTION BOARDS | |
| 230 | | 63/100 | Distribution board with RCD 12 way | |
| 230/400 | | 63/100 | Distribution board with RCD 4x 3 way | |
| 230/400 | | 63/100 | Distribution board with RCD 6x 3 way | |
| 230/400 | | 63/100 | Distribution board with RCD 8x 3 way | |
| 230/400 | | 63/100 | Distribution board with RCD 12x 3 way | |
| | | | TOWER CRANE SUPPLIES | |
| 400 | | 63/100 | Tower crane supply with WP Isolator | |
| 400 | | 200 | Tower crane supply with WP Isolator | |
| 400 | | 40 | TP & N Hoist/ climber, welding or cutting supply with portable switched socket | |
| 400 | | 63 | TP & N Hoist/ climber, welding or cutting supply with portable switched socket | |
| 400 | | 100 | TP & N Hoist/ climber, welding or cutting supply with portable switched socket | |
| 230 | | 63/100 | Incoming mains single phase meter connection with RCD & earth stake | |
| 400 | | 63/100 | Incoming mains TP & N meter connection with RCD & earth stake | |
| 400 | | 200 | Incoming mains TP & N meter connection with RCD & earth stake | |
| 400 | | 400 | Incoming mains TP & N meter connection with RCD & earth stake | |
| 400 | | 630 | Incoming mains TP & N meter connection with RCD & earth stake | |
| 400 | | 800 | Incoming mains TP & N meter connection with RCD & earth stake | |
| 230 | | 63/100 | 16/25mm Single phase Sub main SWA cable /M | |
| 400 | | 63/100 | 16/25mm TP & N Sub main SWA cable /M | |
| 400 | | 200 | 70mm TP & N Sub main SWA cable /M | |
| 400 | | 300 | 120mm TP & N Sub main SWA cable /M | |

| | | | | |
|-----|--|-----|--|--|
| 400 | | 400 | 185mm TP & N Sub main SWA cable /M | |
| 400 | | 630 | 240mm TP & N Sub main SWA cable /M | |
| | | | CABIN CONNECTIONS | |
| 230 | | 32 | Portable cabin connection with 30M (MAX) 6.0mm SWA cable connection | |
| 230 | | 32 | Portable W.C. / Welfare with 30M (MAX) 6.0mm SWA Cable connection | |
| 230 | | 32 | Canteen with 30M (MAX) 6.0mm SWA Cable connection | |
| 230 | | 16 | Storage Cabin with 30M (MAX) 6.0mm SWA Cable connection | |
| 230 | | 16 | Turnstile entrance gate connection with 50M (MAX) Cable connection | |
| 230 | | 13 | Battery charging station (connection only) | |
| | | | CAT 5E DATA point wired between cabins | |
| 230 | | 6 | GANTRY / CABIN FLOODLIGHT | |
| 230 | | 6 | GANTRY Single Corrosive Fluorescent Light fitting 1500mm (with 10M flex max) | |
| 230 | | 6 | As above but Emergency Version | |
| 230 | | 6 | Photo-cell lighting controller | |
| 230 | | 6 | As above but TIME CLOCK Controller | |
| 230 | | 6 | LED Emergency Bulkhead | |

| | | | | |
|-----|--|----|--|--|
| | | | SITE LIGHTING | |
| 110 | | 16 | Corrosive resistant fluorescent light fitting (hung on 1M of chain with 10M flex) | |
| 110 | | 16 | As above but Emergency Version | |
| 110 | | 16 | Corrosive resistant fluorescent light fitting (mounted on hording with 10M flex) | |
| 110 | | 16 | As above but Emergency Version | |
| 110 | | 16 | (Hording) 11-watt fluorescent polycarbonate Bulkhead (clear) | |
| 110 | | 16 | (Hording) 11-watt fluorescent polycarbonate Bulkhead (Red) | |
| | | | Protective wire guard for above | |
| 110 | | 16 | (Hording) 11-watt fluorescent polycarbonate Bulkhead (Red) Complete with scaffold mounting bracket | |
| 230 | | 16 | 400 watt metal halide flood light (mounted to crane frame) | |
| 110 | | 16 | “WOBBLE” light fitting 1200mm | |
| | | | ADDITIONAL ITEMS | |
| | | | 1 - Way AUDIO Door Entry System 50M Cable (Max) | |
| | | | 1 - Way VIDEO Door Entry System 50M Cable (Max) | |

| | | | | |
|-----|--|---|---|--|
| | | | FIRE ALARM | |
| | | | Battery operated "Stand Alone" HOWLER unit | |
| | | | Battery operated "Stand Alone" HOWLER unit Linked (with 30M cable Max) | |
| 230 | | 3 | Addressable Wireless Fire Alarm Panel Control Unit | |
| | | | Wireless Optical SMOKE Detector | |
| | | | Wireless Optical Smoke Detector | |
| | | | Wireless Call Point | |
| | | | Interface Unit | |
| | | | Wireless Sounder | |
| | | | Wireless STROBE Beacon | |
| | | | CCTV | |
| 230 | | | 4-way DVR control unit | |
| 230 | | | 8-way DVR control unit | |
| 230 | | | 17" LED Monitor | |
| 230 | | | Camera Power Supply | |
| 12 | | | Vandal Resistant DOME Camera (with 50M Max cable) | |